

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

C	ALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM
	CERTIFICATION FORM
	Golden Triangle Water
1	Public Water Supply Name
	0130018 0130019
	Ust PWS II) #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each community public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Piease	Answer the Following Questions Regarding the Consumer Confidence Report
\Box	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed:/
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
,	Date Mailed/Distributed: / /
S.	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: Daily Times Leader
	Date Published: 6 /30/11
	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
	CCR was posted on a publicly accessible internet site at the address: www.
CERT	PICATION
I hereby the form consiste Departs	y certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is not with the water quality monitoring data provided to the public water system officials by the Mississippi State ment of Health, Bureau of Public Water Supply.
Name)	Tille (Presideral, Mayor, Owner, etc.)
	Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

570 East Woodrow Wilson • Post Office Box 1700 • Jackson, Mississippi 39215-1700 601/576-7634 • Fax 601/576-7931 • www.HealthyMS.com

Equal Opportunity In Employment/Service

2010 Annual Drinking Water Quality Report Golden Triangle Water Association PWS#: 130018 &(130019)

June 2011

2011 31 115 1911 3: 52

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Eutaw McShan & Tuscaloosa Aquifers and purchased from the City of West Point that has wells drawing from the Eutaw Formation & the Gordo Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Golden Triangle Water Association and the City of West Point have received a moderate susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact Barrett Baggett at 662-436-7329. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Tuesday of each month at 7:00 PM at the office G. T. office.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2010. In cases where monitoring wasn't required in 2010, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems, radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID# 1	30018		,	TEST RESU	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL	Likely Source of Contamination
Microbiolo	-		T					
1. Total Coliform	l N	March	Positive	2	NA	0	presence of coliform	Naturally present

Inorganic	Cont	aminants								
8. Arsenic	N	2008*	.8	.78	ppb		n/a		10	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2008*	.041	.026041	ppm		2		2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2008*	1.7	No Range	ppb		100	1	00	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2008*	1.1	0	ppm		1.3	AL=		Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	1.68	.182 – 1.68	ppm		4			Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	5	0	ppb		0	AL=		Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2008*	2.9	2.7 – 2.9	ppb		50			Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfection	n By-	Product	S							
82. TTHM [Total trihalomethanes]	N	2008*	12.82	No Range	ppb	0		80		product of drinking water prination.
Chlorine	N	2010	.76	.7479	ppm	0	MDF	RL = 4		ter additive used to control robes

PWS ID#				TEST RES	OTID			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL	Likely Source of Contamination
Radioactiv	ve Conta	minants	3					
5. Gross Alpha	N	2008*	1.91	.165 – 1.91	pCi/L	0	15	Erosion of natural deposits
6. Radium 226 Radium 228	N	2008* 2008*	.371 .552	.047371 .104552	pCi/1	0	5	Erosion of natural deposits
7. Uranium '	N	2008*	.005	No Range	μg/L	0'	30	Erosion of natural deposits
Inorganic	Contam	inants						
10. Barium	N	2008*	.074	.3774	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2008*	1.4	.8 – 1.4	ppb	100	100	Discharge from steel and pulp mills erosion of natural deposits
14. Copper	N	2008*	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2010	.91	.7091	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	3	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposit
21. Selenium	N	2008*	1.5	.9 – 1.5	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfection	n By-Pr	oducts						
Chlorine	N 2	2010 .7	4 .6	374 pr	om	0 MD	RL = 4	Water additive used to control microbes

^{*}Most recent sample. No sample required for 2010.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

Significant Deficiencies

System # 130018

During a sanitary survey conducted on 9/27/10 the Mississippi State Department of Health cited the following deficiency:

Inadequate internal cleaning/maintenance of storage tanks

<u>Corrective actions</u>: The system is currently under a Bilateral Compliance Agreement with the Mississippi State Department of Health to complete the inspection of the storage tanks and to clean and paint where needed. All deficiencies are scheduled to be completed by 7/31/2011.

System # 130008 - City of West Point

Significant Deficiencies

During a sanitary survey conducted on 5/20/10 the Mississippi State Department of Health cited the following deficiency:

Inadequate internal cleaning/maintenance of storage tanks

<u>Corrective actions:</u> The system is currently under a Bilateral Compliance Agreement with the Mississippi State Department of Health to complete the cleaning and painting of the tanks. All deficiencies are scheduled to be completed by 12/31/2011.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the CITY OF WEST POINT is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 12. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 92%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Golden Triangle Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

2011 Armond October States University Hoppost Charles Trinische Wilder Armonderen Provide Tampas & Thomas Sieg 1011

To planted to motors to grow what pend's frantial disease Years Hassard. Heat sepret is designed to inform rule about the designed was an interest of chinese and delivers by motors from the pend of the pend of

- section makes secretarily than home completes for our pulsed regions in describing the execute quantitative of the chindry of the chindry content of the content pulses of the content pulses of the content pulses of the content pulses of the content of the

op have say greathen a should this respond at contemplacy part restor order, although analysis that Datains of October 1900, and where we are contented to be bounded after their under 1900, by the content is been more, playing about any of our requisity admitted. They were not been as the content thought of tend content of their light of their class of the content and for the requisity admitted

Foundably exhibited for considerations in your challenge water excounting to frequent early Related age. This habite below from all of passing with the second process of the processor of the pr

the taking year will their investor features award abdrasses for taking participates the taking process of the taking participates in the taking participates and their participates awards and their participates awards and the taking participates awards and taking participates awards awards

imen Contembraci Lours parity - The Mandalen Abound' (ARCL) is the Righest lovel of a contembraci and is attained in distance.

« MCLet are not to place to into MCLCan as type ble seeing the book eventions are interest to bridge,

haven Confection/Laurel Grant (ACCAS): The Constitution is the loved of a contentant in distillar water before which there is no recommend the to have the contentant in the contentant in the contentant is the contentant in the content in the cont

lesson fluoritusi Disintentani Loval (AMPLIL) - This highest isoni ed a distributant elected in circleting votes. There to constituting the test addition after about increasing the content arise that addition after about increasing the content arise black conferences.

i par nakkur figure) ar Killigenisere par Alber (mg/l) o osa part mer million currecensule is one stoute in two years on a single trendy in TRU

i per histori (200) or interegrence sur filer - one part per histori corresponde to one oriente in 2,000 years, or a single years, in

VI LD& 1		Selection Company	mar gerri grijen	TEST RES						
······································	Viginting 1994	Contracted	d Catherin	Amper's Delect or the Sample Excepting MCLAYCE	to Single # 34400000 resent	铷素	3143		B#Fs	Libety Bearing of Constantionality of
cratikda	gioni C	an tand	HA NES							Barrier (BAN-1991) y construit (1991)
ttel Caffeery	N	36 H (34)	Postue	3	184	- T	-61		mice of company describing 5% of	Platamily good and in the sension synam
organic	Conta	rinnuts			Tarang transit			±trox.	ANTHE PROPERTY	
Azorti	N	20215	.6	77:#	testi	T	rt/a:	T	a Print rece so	atural deposits; no le: runoff legins pless
Backer	44	2860*	Just	.650 ~ 041	Pilm		Z	ļ	2 g Discharing o	CATA JORGAN TO THE PROPERTY AND ACC
Chromba	*	2007	1,2	No Planus	thp.	~	100	. 7	DO ENERTHERDS F	OUR SERVICE OF DATE
DOP/CRE	*	30012	111	0	Electric Control		1.3	,440.00T	4 Cotropius or applicante se-	n sii metural pegoles hewarhold plambi meus or nasiani edikes inan eropsi
kierkin	K	20031	1,50	.152 1.68	(4)sca		4		sports of the same	tional describe; we A parmitter ettens inte Sons ferision
Lascot		2000	•	· o	P;20)		Ű	Ale		e fectores Pouseruid piumbi elon of naives
lissorten	E.	3000*	20	27-28	pre		50		Orelia eritare	off poliukann who ha; wwo lon of affa; dicelerge han
sin/ectio								L	. a. i 120150. R	
SFAU Empths cust	č4)	5508	12.62	Na Range	DV/E	ŋ	Ĩ	ãõ	By-positive of a tricitation	helding yuplay
(10	14	8210	35	.74 - 70	pom		MO	IL A.C	Vivoles autossines e	end to control
VS HO # 1	******			TEST RE	CHETE PEUS			***********		
articani,	Violation		(Classical Clas	Auran of Heles	44 F 654	Bato l	iis ji	NCL X	Litair Science I	Consendation
dioscan						an decare	·		t	of a street decision of the state of the sta
esta Africa Salan 229 Adun 272	61	2000.		190 - 4.95 193 - 361 194 - 682	K.		ę,		Pleasan of new Breakin of new	iri deposits nei depositr
120410	18	2008	LUDA	No Flattra	MER		فيقسي	10*	Broalon of Haru	

o Chamblese	ly ly	7000	1.7	Flo Heryu	Sop		102		i the constant and and are
A. Copper	OI .	2012	E L	П	pp:		1.3		Control of the state of the sta
E Parentile	h	2010S	7.86	182-168	téu		+		e constituent and the cons
P. LASKI	H	30819	- 3	41	Saley		ŋ	بسراع	species south of estate
s. Salates	i i	anar -	29	27-28	Ejin		QÜ	G	i) Decise of him behind and ment influence; and he decise has been seen as the
Disinfection	Lance De	i			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	/g-Banarder			The second secon
EL VIEW	N	205	12.08	No Rescipe	\$4.p		t	1	Approprie of district which information
englereinzund.	33	20 %	,7 1)	.74-,78	1991		C NO	M. n. d.	(Neder sidelies used to corded microbe):
Considerate	VISINE	Cund	तंत्रकारी श्रीसम्बद्धाः	ME BEARDERS TO	graphy Artist vi	eura eura eur		ездени.	Exels Source of Contention
									ALL SAN AND AND AND AND AND AND AND AND AND A
Rudioscin	u Cari	nerduae	ŠNÍ			CRES - protection		T 49	E Brooks of policy Granting
Rudioactiv	w Cani	2300	9 2.134	1.105 - 1.01				1-4	Francis of patient Concess
6. Grysa (de)s		2006	- 1379	.105 - 1.01 .447 - 271	P	#	- 6	k .	Employ of rolling Concess. Employ of rolling Concess.
e. Gross (1976 e. Radium 220 Rodium 220	H es	2006	9 2.134	1.105 - 1.01	P	# 2		1 70	
6. Grysa (de/s 6. Radium 220 Rodium 220 7. (See 240)	H H	2000° 2000° 2000°	374 582 705	.105 - 1.01 .047 - 371 .154 - 813	P	1	- 6 6	k .	This hand a shadil doposite
e. Gross (1976 e. Radium 220 Rodium 220	H H	2000° 2000° 2000°	374 582 705	.105 - 1.01 .047 - 371 .154 - 813	P	<u>z 1</u>	0 6	k .	Excelor of askerbl deposits Discharge of History Wester (depheres from west off refer) reaction of askerbl interests;
6. Spra (1925 6. Redunt 220 audien (20 7. Grean Emory anda: 10. Section	Constant	Part. 2004. 2004. 2004. 2004. 2008.	3779 Star 7105	105 - 1.01 (167 - 27) 164 - 27) 164 - 27) 164 Pange	F			1-20	Execution of authority theoretical (Backerings of Hilling) meeting (Backerings of Hilling) meeting (Backerings from novel) ordered (Backerings from novel) and impossible (Backerings from novel) and impossible (Backerings) or included constitution of minimal constitution.
e. Som (2005 E. Andrew 200 Section 220 7. Greater Exerginals:	Courtes	\$1990. Stare. \$198. \$199. \$189.	374 382 382 708	105 - 1.01 .047 - 21 .164 - 208 .165 - 208 .165 - 208	- Jr		3	1 30	Escalar of estach described Escalar of using mestal developer of escalar of using mestal developer of using mestal developer of using mestal developer of using using using developer of using usin
6. Sprea (1605 6. Redium 220 Redium 220 7. Gradium EMOT CHILLS 10. Inches	Constant	Spote, Sp	377 377 3842 7005	105 - 1.01 1047 - 321 1047 - 321 105 Parisa 27 - 14	No.		196	33 AL-1,	Except not natural desponsits Underlange of Ulfilliag recross desponsion of Agency (Agency (A
6. Gross (2006) 6. Rochen 200 7. Grochen 6. Rochen 200 7. Grochen 6. Rochen 10. Rochen 10. Consect 10. Consect 10. Essect	Constant P	2000 2000 2000 2000 2000	705 705 705	105 Lpt 007 31 104 31 104 818 105 Pages	No.		590 3.3	33 AL-1,	Excellant of instituti despirated Disschamps of tillifeling medited desburge incer model contracted; general of against disposable. Destrupped from motor and pely fillifeling excellent of medited processing of medited processing gradient screening from the pely fillifeling agreening excellent processing from any agreening disposable processing from wood, pely filling of medited pelysions, and beginning for medited pelysions, and beginning fillings. Excellent of medited pelysions, and beginning fillings.
6. Store (1906) 6. Firebrin 220 Godine 220 J. Gradum 10. Restant 10. Restant 10. Conservation Le Conservation	Content	2000 2000 2000 2000 2000 2000 2000	779 779 584 705	105 - 106 647 - 27 104 - 218 104 - 218 105 - 106 2 - 14	Posts Property Proper		190	30 30 AL=1	Excellant of maturitidesportation Discoluting of tillfield years see discoluting of the control
6. Gross febre Redien 220 Redien 220 Redien 220 Redien 20 Redien Red Copyright Red Copyright La Circondan La Circondan La Circondan La Circondan La Copyright La Copyright La Copyright La Copyright La Copyright La Copyright	COLEGE	2006 2006 2006 2006 2006 2006 2006 2006	357 3562 1059 4 1.4 1.4 2 2 3 3.5	105 - 106 647 - 27 104 - 278 104 - 278 105 - 104 2 - 14	P P P P P P P P P P		7300 9,3	30 30 AL=1	Excellent of installing messels Disselvange of tilling messels (deadways from the tilling messels (deadways from the tilling)

he you can maning the labbe, but system had no abblicate. However on protein a DISCO is one violated is abouting execut semalate. We note a consequent fraction that the proteins present note a consequent fraction from the proteins of contains between the first sign and figure that proteins present in the sufficient source makes or contains all Proteins and figure suggests to the suggest fraction of the proteins and manifest source consideration between detection for the first line contains and training that contains the contains and training that contains the suggest that the contains and training that contains the suggest that the the suggest t

said a feather his semple required for 30%

Who are variabled to exceller your dentiting water for specific corresponding one is monthly basis. Receipts of supplier inspectation of the instance of this last of the contract of the cont

If present, advantage levels to be all one causes service breaks problems, a searching for programs which are and years, chadran, tend in present a searching that a search are a searching that present a search are a searching that present a search are a search and a search are a search are a search and a search are a search as the search are a search as the search are a search as a search are a s

AS BESTICES OF SHIRING WARD IN STATES TO PROFILED CONSIDERATION OF WIGHTNESS WITH THE STATES OF THE RESEARCH OF THE PROFILED WARD. The special control of the profiled control

Some comple may be made uning the boll uning the defining water from the provide information appreciate parameters and in the provide interest comparison of the provided of the provided in the provided of t

The Codina Theorie things areasings under mount for each to product op quity under a meny tap, the act leas all our endowners then us product continues and product continues, and the state of the stat